


Unix/Linux Tutorial for Beginners

Session II – The Filesystem


Mandatory exercises

1. If `pwd` displays `/home/duck`, what will `ls ../myMusic` display?



- (a) `ls: ../myMusic: No such file or directory`
 - (b) `cat`
 - (c) `upregulated_genes.txt`
 - (d) `Readme.txt`
2. When you use the `ls` command, which of the following occurs?
 - (a) A new file is created.
 - (b) The content of the current working directory is displayed.
 - (c) All files in the current working directory are deleted.
 - (d) It displays only the directories contained in the current working directory.
 3. Which command is used to remove a directory and its content?

- (a) rdir
 - (b) rmdir
 - (c) remove
 - (d) rm -r
4. Create the directory hierarchy that matches the diagram given below. Use as working directory the home folder (~). **OMIT** the 2 files at this point. Use the commands `pwd`, `cd`, `tree`, and/or `ls` to check the correctness of the generated paths.



5. Which command is used to rename a file?
- (a) rename
 - (b) mv
 - (c) cp
 - (d) vm
6. Which command lists the entire content of the current working directory?
- (a) `ls -complete`
 - (b) `ls all`
 - (c) `ls -a`
7. What is the output of the closing `ls` command in the sequence shown below?

```

$ pwd
/home/mihaelmr/myData
$ ls
proteins.fa
  
```

```
$ mkdir recombine
$ mv proteins.fa recombine
$ cp recombine/proteins.fa ../proteins-saved.fa
$ ls
```

- (a) proteins-saved.fa recombine
- (b) recombine
- (c) proteins.fa recombine
- (d) proteins-saved.fa

8. Which command can be used to create a new directory?

- mkdir
- createdir
- newdir

9. Find out which directory is your current working directory using `pwd`. Go to your home directory using the change directory (`cd`) command. Which commands could you use to change to the subdirectory *data*, using both absolute and relative paths, assuming that *user* corresponds to your own user name?

- (a) `cd ../data`
- (b) `cd /home/user/data`
- (c) `cd ~/data`
- (d) `cd ./data`
- (e) `cd data`

10. Suppose that your working directory is `~/myLinuxProject` and you want to list the content of all folder/subfolders that contain a '0' in the name. What command and wildcards covered in this lesson does you need to run so that the following output will be produced?

```
results/2017-03-27:
results/2017-03-28:
```

Optional exercises

1. You need more information regarding the options of the 'ls' command. How do you get help using the command line?

- `ls -help`
- `ls?`
- `man ls`

2. What does the command `cd` without a directory name do?
 - (a) It has no effect.
 - (b) It changes the working directory to `/`.
 - (c) It changes the working directory to the user's home directory.
 - (d) It produces an error message.
3. The `ls` command lists the content of a directory in ascending alphabetical order. Are there other sorting options available? Which arguments could be used? Use `ls --help` to get a short help about available options.
4. What does the command `ls` do when used with the `-s` and `-h` arguments?
 - (a) It returns the human readable file sizes.
 - (b) It sorts the files as a human would do it.
 - (c) The option `'-h'` provides information about the option `'-s'`.
5. Suppose that you created a `.txt` file in your current directory to contain a list of the statistical tests you will need to do to analyze your data, and named it `statistics.txt`. After creating and saving this file you realize you misspelled the filename! You want to correct the mistake, which of the following commands could you use to do so?
 - (a) `cp statistics.txt statistics.txt`
 - (b) `mv statistics.txt statistics.txt`
 - (c) `mv statistics.txt .`
 - (d) `cp statistics.txt .`
6. What does the command `ls` do when used with the `-l` argument? How can you print the allocated sizes in human readable format?
 - (a) It returns the full name of the files listed in the users home directory.
 - (b) It returns the content listed as a list. The allocated sizes are printed in human readable format using the option `'-h'`
 - (c) The option `'-h'` displays all hidden files, while `'-l'` returns the content listed as a list.
7. Suppose that your working directory is a mixture of files and directories, which aren't very well organized:

```
$ pwd
~/myLinuxProject/myData
$ ls -F
clean/ fructose.dat raw/ sucrose.dat
```

The `fructose.dat` and `sucrose.dat` files contain output from your data preprocessing. What command(s) covered in this lesson does you need to run so that the commands below will produce the output shown?

```
$ ls -F
clean/ raw/

$ ls clean
fructose.dat      sucrose.dat
```

8. If `pwd` displays `/home/duck` (see figure from exercise 1, mandatory exercises), and `-r` tells `ls` to display things in reverse order, which command will NOT display:

Readme.txt myMusic/ myData/

- (a) `ls pwd`
 - (b) `ls -r -F`
 - (c) `ls -r -F /home/duck`
 - (d) `ls -rF`
9. Go to your home directory using the tilde extension `'~'`. Create a new directory named `'flower_power'` and copy the file `~/data/poetry/robesRobertBurns.txt` to your new created directory. In a next step rename your file to `robertBurns_roses.txt`. Assuming you are now in your new created folder and lists its content using the command `ls -a`. Which of the following output is correct.
- (a) `.. rosesRobertBurns.txt`
 - (b) `.. robertBurns_roses.txt`
 - (c) `robertBurns_roses.txt`
 - (d) `..`
10. What does `cp` do when given several filenames and a directory name, as in:

```
$ mkdir backup
$ cp thesis/citations.txt thesis/quotations.txt backup
```

- (a) It copies the content of the file `citations.txt` to `quotations.txt` and moves both to the directory `backup`.
 - (b) It copies both files to the directory `backup`.
 - (c) It moves both files to the directory `backup`.
11. What does `cp` do when given three or more filenames, as in:

```
$ ls -F
intro.txt      methods.txt      survey.txt
$ cp intro.txt methods.txt survey.txt
```

- (a) It copies the content of the file *intro.txt* into the file *methods.txt* and this new content to the file *survey.txt*
- (b) It returns the error message: *cp: target 'survey.txt' is not a directory*
- (c) It copies the content of the second file into the third file.

Exercises are in part derived by material from ©Software Carpentry (<http://software-carpentry.org>, license: CC BY 4.0) that was adapted from me for this course. Another part is from a BILS course given by Martin Dahlö and used here by his kind agreement. Remaining exercises by M. Martis.